
ILLUMINATED
MIRRORS

CLASSIC LINE

CLASSIC LINE





CD

DIMENSIONS: 25.6” x 23.6” | 25.6” x 31.5” | 25.6” x 39.4” | 25.6” x 47.2”

FRAME COLORS:

LED COLORS: Cold | Neutral | Warm

SANDBLASTING AREA: 0.59”

MIRROR DISTANCE FROM THE WALL: 1.18”


CERTIFICATES: CE | IP 44

OPTIONS Touch On/Off Swtich

FEATURES: 30 000h

SMART LINE

SMART LINE





CD

DIMENSIONS: 25.6” x 23.6” | 25.6” x 31.5” | 25.6” x 39.4” | 25.6” x 47.2”

FRAME COLORS:

LED COLORS:

Cold | Neutral | Warm

SANDBLASTING AREA: 0.31”

MIRROR DISTANCE FROM THE WALL: 1.18”

CERTIFICATES: CE | IP 44

OPTIONS Touch On/Off Swtich

FEATURES: II | 30 000h

MODERN LINE

MODERN LINE





CD

DIMENSIONS: 25.6” x 23.6” | 25.6” x 31.5” | 25.6” x 39.4” | 25.6” x 47.2”

FRAME COLORS:

LED COLORS:

Cold | Neutral | Warm

SANDBLASTING AREA: 0.31”

MIRROR DISTANCE FROM THE WALL: 1.18”

CERTIFICATES: CE | IP 44

OPTIONS Touch On/Off Swtich

FEATURES: 30 000h

DOUBLE LINE

DOUBLE LINE





CD

DIMENSIONS: 25.6” x 23.6” | 25.6” x 31.5” | 25.6” x 39.4” | 25.6” x 47.2”

FRAME COLORS: Frameless

LED COLORS: Cold | Neutral | Warm

SANDBLASTING AREA: 0.31”

MIRROR DISTANCE FROM THE WALL: 1.18”

CERTIFICATES: CE | IP 44

OPTIONS Touch On/Off Swtich

FEATURES: 30 000h

GAP LINE

GAP LINE





CD

DIMENSIONS:	25.6” x 23.6” | 25.6” x 31.5” | 25.6” x 39.4” | 25.6” x 47.2”
FRAME COLORS:	
LED COLORS:	Cold · Neutral · Warm
Illumination Area:	0.79”
MIRROR DISTANCE FROM THE WALL:	1.18”
CERTIFICATES:	CE · IP 44
OPTIONS	Touch On/Off Swtich
FEATURES:	30 000h

SIMPLE LINE
VERTICAL

SIMPLE LINE VERTICAL





CD

DIMENSIONS: 25.6” x 23.6” | 25.6” x 31.5” | 25.6” x 39.4” | 25.6” x 47.2”

FRAME COLORS: Frameless

LED COLORS: Cold | Neutral | Warm

SANDBLASTING AREA: 0.79”

MIRROR DISTANCE FROM THE WALL: 1.18”

CERTIFICATES: CE | IP 44

OPTIONS Touch On/Off Swtich

FEATURES: 30 000h

SIMPLE LINE
HORIZONTAL

SIMPLE LINE







CD

DIMENSIONS:	25.6” x 23.6” | 25.6” x 31.5” | 25.6” x 39.4” | 25.6” x 47.2”
FRAME COLORS:	Frameless
LED COLORS:	Cold · Neutral · Warm
SANDBLASTING AREA:	0.79”
MIRROR DISTANCE FROM THE WALL:	1.18”
CERTIFICATES:	CE · IP 44
OPTIONS	Touch On/Off Swtich
FEATURES:	30 000h

ROUND LINE
PREMIUM

ROUND LINE PREMIUM






CD

DIMENSIONS:	23.6” | 31.5” | 39.4”
FRAME COLORS:	
LED COLORS:	Cold / Neutral / Warm
SANDBLASTING AREA:	0.31”
MIRROR DISTANCE FROM THE WALL:	1.18”
CERTIFICATES:	CE, IP 44
OPTIONS	Touch On/Off Swtich
FEATURES:	30 000h

ROUND LINE
BACKLIGHT

ROUND LINE BACKLIT






CD

DIMENSIONS:	23.6” | 31.5” | 39.4”
FRAME COLORS:	
LED COLORS:	Cold · Neutral · Warm
SANDBLASTING AREA:	No Sandblasting
MIRROR DISTANCE FROM THE WALL:	1.18”
CERTIFICATES:	CE · IP 44
OPTIONS	Touch On/Off Swtich
FEATURES:	II · 30 000h

RETRO LINE
BACKLIGHT

RETRO LINE BACKLIT






CD

DIMENSIONS:	23.6” x 39.4”
FRAME COLORS:	
LED COLORS:	Cold / Neutral / Warm
SANDBLASTING AREA:	No Sandblasting
MIRROR DISTANCE FROM THE WALL:	1.18”
CERTIFICATES:	CE IP 44
OPTIONS	Touch On/Off Swtich
FEATURES:	30 000h

OVAL PREMIUM LINE

OVAL LINE PREMIUM






CD

DIMENSIONS:	19.7” x 39.4”
FRAME COLORS:	
LED COLORS:	Cold / Neutral / Warm
SANDBLASTING AREA:	0.98”
MIRROR DISTANCE FROM THE WALL:	25 mm 0.98”
CERTIFICATES:	CE, IP 44
OPTIONS	Touch On/Off Swtich
FEATURES:	30 000h

OVAL LINE
BACKLIGHT

OVAL LINE BACKLIT





CD

DIMENSIONS:	19.7” x 39.4”
FRAME COLORS:	
LED COLORS:	Cold / Neutral / Warm
SANDBLASTING AREA:	0.98”
MIRROR DISTANCE FROM THE WALL:	0.98”
CERTIFICATES:	CE, IP 44
OPTIONS	Touch On/Off Swtich
FEATURES:	30 000h

PORTAL LINE
BACKLIGHT

PORTAL LINE BACKLIT





CD

DIMENSIONS:	19.7” x 31.5” | 19.7” x 55.1”
FRAME COLORS:	
LED COLORS:	Cold · Neutral · Warm
SANDBLASTING AREA:	No Sandblasting
MIRROR DISTANCE FROM THE WALL:	0.98”
CERTIFICATES:	CE · IP 44
OPTIONS	Touch On/Off Swtich
FEATURES:	30 000h

SMOOTH LINE

SMOOTH LINE





CD

DIMENSIONS: 25.6” x 23.6” | 25.6” x 31.5” | 25.6” x 39.4” | 25.6” x 47.2”

FRAME COLORS: Frameless

LED COLORS: Cold | Neutral | Warm

SANDBLASTING AREA: No Sandblasting

MIRROR DISTANCE FROM THE WALL: 0.98”


CERTIFICATES: CE | IP 44

OPTIONS Touch On/Off Swtich

FEATURES: II | 30 000h

SHINE LINE

SHINE LINE






CD

DIMENSIONS:	23.6” x 23.6 | 31.5” x 31.5” | 23.6” x 31.5”
FRAME COLORS:	Frameless
LED COLORS:	Cold · Neutral · Warm
SANDBLASTING AREA:	1.98”
MIRROR DISTANCE FROM THE WALL:	0.98”
CERTIFICATES:	CE · IP 44
OPTIONS	Touch On/Off Swtich
FEATURES:	30 000h

TENDER LINE
BACKLIGHT

TENDER LINE BACKLIT






CD

DIMENSIONS:	31.5” x 23.6 | 31.5” x 39.3” | 47.2” x 31.5”
FRAME COLORS:	
LED COLORS:	Cold · Neutral · Warm
SANDBLASTING AREA:	No Sandblasting
MIRROR DISTANCE FROM THE WALL:	0.98”
CERTIFICATES:	CE · IP 44
OPTIONS	Touch On/Off Swtich
FEATURES:	II · 30 000h

ORGANIC LINE
BACKLIGHT

ORGANIC LINE BACKLIT





CD


DIMENSIONS:	35.4” x 23.6”
FRAME COLORS:	
LED COLORS:	Cold · Neutral · Warm
SANDBLASTING AREA:	No Sandblasting
MIRROR DISTANCE FROM THE WALL:	0.98”
CERTIFICATES:	CE · IP 44
OPTIONS	Touch On/Off Swtich
FEATURES:	30 000h

MIRRORS

WITHOUT ILLUMINATION

ROUND LINE

ROUND LINE





CD

DIMENSIONS: 15.8” | 23.6” | 31.5” | 39.4”

FRAME COLORS:

MIRROR DISTANCE FROM THE WALL: 0.78”

CERTIFICATES:

FEATURES:

QUADRO LINE

QUADRO LINE





CD

DIMENSIONS: 25” x 25”

FRAME COLORS:

MIRROR DISTANCE FROM THE WALL: 0.78”

CERTIFICATES:

FEATURES:

OVAL LINE

OVAL LINE






DIMENSIONS:	39.4” x 19.7”
FRAME COLORS:	
MIRROR DISTANCE FROM THE WALL:	0.78”
CERTIFICATES:	
FEATURES:	

PORTAL LINE

PORTAL LINE



CD



DIMENSIONS:	55.1” x 19.7” | 31.5” x 19.7”
FRAME COLORS:	
MIRROR DISTANCE FROM THE WALL:	0.78”
CERTIFICATES:	
FEATURES:	

RETRO LINE

RETRO LINE






CD

DIMENSIONS:	39.4” x 23.6”
FRAME COLORS:	
MIRROR DISTANCE FROM THE WALL:	0.78”
CERTIFICATES:	CE
FEATURES:	

TENDER LINE

TENDER LINE





CD

DIMENSIONS:	31.5” x 23.6 | 31.5” x 39.3” | 47.2” x 31.5”
FRAME COLORS:	
MIRROR DISTANCE FROM THE WALL:	0.78”
CERTIFICATES:	
FEATURES:	

BRW LINE

BRW LINE





CD

DIMENSIONS: 31.5” x 23.6 | 31.5” x 39.3” | 47.2” x 31.5”

FRAME COLORS:


MIRROR DISTANCE FROM THE WALL: 0.78”

CERTIFICATES:

FEATURES:

BRW SHELF

BRW SHELF LINE






CD

DIMENSIONS:	25.6” x 16.5” x 7.1” | 25.6” x 19.7” x 7.1” | 25.6” x 27.6” x 7.1”
FRAME COLORS:	
SHELF GLASS TYPES:	Frosted | Lacobel 9003 | Lacobel 9005 | Mirror
MIRROR DISTANCE FROM THE WALL:	0.78”
CERTIFICATES:	CE
FEATURES:	

RIMINI LINE

RIMINI LINE






DIMENSIONS:	25.6” x 23.6” | 25.6” x 31.5” | 25.6” x 39.4” | 25.6” x 47.2”
FRAME COLORS:	
MIRROR DISTANCE FROM THE WALL:	0.78”
CERTIFICATES:	
FEATURES:	

VIVARO LINE

VIVARO LINE






CD

DIMENSIONS:	25.6” x 23.6” | 25.6” x 31.5” | 25.6” x 39.4” | 25.6” x 47.2”
FRAME COLORS:	
MIRROR DISTANCE FROM THE WALL:	0.78”
CERTIFICATES:	CE
FEATURES:	II

ORGANIC LINE

ORGANIC LINE






CD

DIMENSIONS:	35.4” x 23.6”
FRAME COLORS:	
DISTANCE FROM THE WALL:	0.78”
CERTIFICATES:	CE
FEATURES:	

Contents



Vertical/Horizontal Mounting



Up/Down Mounting



Aluminum Frame Around




Only For Interior



Class 2 Protection



Do Not Throw It In Normal Garbage




1200lm/1m




Average LED Lifespan 30000h

Touch Switch



OFF



ON



OFF



ON

Anode Colors

- Natural
- White Glossy RAL 9003
- Acier Gratta
- Anthracite
- Black Matte
- Inox Lija
- Brushed
- Black Brushed
- Champagne
- Brown
- Gold
- Gold Brushed
- White Matte RAL 9003
- Green